

PRESENTATIONS

- Vander Werff, K.R. (2009, June). Evoked potential measures of central auditory function following head injury. Paper presented at the XX Biennial Symposium of the International Evoked Response Audiometry Study Group, Rio de Janeiro, Brazil.
- Burns, K.S., Soll, A.C., & Vander Werff, K.R. (2009, March). Brainstem responses to speech in younger and older adults. Poster presented at the American Auditory Society Annual Meeting, Scottsdale, AZ. (Student presentation)
- Vander Werff, K.R. (2009, March). Evoked potential measures of central auditory function following head injury: preliminary data. Poster presented at the American Auditory Society Annual Meeting, Scottsdale, AZ.
- Nesbitt K.L., & Vander Werff, K.R. (2008, November). Cortical evoked potentials to frequency change in hearing impaired individuals: Evidence of cortical plasticity? Poster presented at the American Speech-Language and Hearing Association Convention, Chicago, IL. (Student presentation)
- Vander Werff, K.R. (2007, April). ASSR analysis methods and the effect on clinical results. Paper presented at the American Academy of Audiology Convention, Denver, CO.
- Prieve B.A., Vander Werff, K.R., & Georgantas L.M. (2006, April). TB-ABR, OAE & middle ear measures in sleeping infants. Poster presented at the American Academy of Audiology Convention, Minneapolis, MN.
- Senior M.L., & Vander Werff, K.R. (2006, March). Comparison of clinical protocols and analysis methods for recording ASSR. Poster presented at the American Auditory Society Annual Meeting, Scottsdale, AZ. (Student presentation)
- Vander Werff, K.R., Prieve B.A., & Georgantas L.M. (2005, March). Comparing middle ear measures to ABR air-bone threshold status in infants. Poster presented at the American Auditory Society Annual Meeting, Scottsdale, AZ.
- Vander Werff, K.R., & Prieve B.A. (2004, February). Test-retest reliability of wide-band reflectance measures in infants. Poster presented at the 27th Annual Midwinter Research Meeting, Association for Research in Otolaryngology, Daytona Beach, FL.
- Prieve B.A., Sterns A.R., Vander Werff, K.R., & Woods S. (2004, February). Inferring olivocochlear efferent characteristics using protocols from across-species studies. Paper presented at the 27th Annual Midwinter Research Meeting, Association for Research in Otolaryngology, Daytona Beach, FL.
- Vander Werff, K.R., & Brown C.J. (2003, February). ASSR threshold and response growth: Relationship to audiometric configuration. Poster presented at the 26th Annual Midwinter Research Meeting, Association for Research in Otolaryngology, Daytona Beach, FL.
- Brown C.J., Vander Werff, K.R., Johnson T.A., & Schmidt Clay K.M. (2001, October). Serving Iowa's hearing-impaired infants and toddlers, screening through intervention: Using evoked potential techniques to estimate the audiogram. Invited presentation at the Iowa Speech and Hearing Association annual convention, Des Moines, IA.

- Vander Werff, K.R., Brown C.J., Schmidt Clay K.M., & Gienapp B.A. (2001, July). Preliminary results using the ERA device to measure auditory steady-state response thresholds: Comparing ASSR and ABR thresholds in children. Poster presented at the XVIIth Biennial Symposium of the International Evoked Response Audiometry Study Group, University of British Columbia, Vancouver, B.C., Canada.
- Brown C.J., Johnson T.A., & Vander Werff, K.R. (2001, February). Using steady state auditory evoked potentials to assist with determination of cochlear implant candidacy: Initial results using the ERA Systems Ltd. device. Paper presented at the 8th Symposium on Cochlear Implants in Children, Los Angeles, CA.
- Vander Werff, K.R., & Brown C.J. (2000, February). Changes over time in electrode impedance and EAP growth functions for adult Nucleus 24 cochlear implant users. Poster presented at the 6th International Cochlear Implant Conference, Miami, FL.
- Brown C., Abbas P., Hughes M., Vander Werff, K., Gantz B., & Rubinstein J. (2000, February). Prediction of post-implant performance based on pre-implant promontory stimulation: Data from bilateral cochlear implant users. Poster presented at the 6th International Cochlear Implant Conference, Miami, FL.
- Brown C., Hughes M., Vander Werff, K., Wahl B., Luk B., & Seyle, K. (2000, March). NRT: From Laboratory to Clinic. Paper presented at the 12th Annual Convention of the American Academy of Audiology, Chicago, IL.